

Products

For Logging Tools

Connectors Accessories (Pin & Boot)

Specification and Dimensions



Azar Fartak Surin Co.

No. 1, 3rd Street on the left, 1st Industrial Town
Ahvaz, I.R. Iran

Tel & Fax: +98 61 34441558

Email: AFS@AzarFartak.ir

www.AzarFartak.ir

AZAR FARTAK SURIN CO.


Boot



Geometrical Specifications

| | |
|---------------------------------------|---------------|
| | 1.74" x 0.31" |
| Boot Length (BL) x Boot Diameter (BD) | 1.87" x 0.34" |
| | 2.5" x 0.5" |


Spring Contacts



Geometrical Specification

| Spring Contact Pin Diameter | Spring Contact Length | Spring Contact End Diameter | Spring Contact Head Diameter |
|-----------------------------|-----------------------|-----------------------------|------------------------------|
| SCPD (in) | SCL (in) | SCED (in) | SCHD (in) |
| 0.04 | 0.81 | 0.12 | 0.14 |
| 0.062 | 0.81 | 0.14 | 0.16 |
| 0.093 | 0.81 | 0.14 | 0.16 |
| 0.125 | 0.81 | 0.16 | 0.22 |


Boot Connector



Geometrical Specifications

| | |
|---|---------------|
| Connector Boot Length (CBL) x Connector Boot Diameter (CBD) | 2.06" x 0.25" |
| | 2.06" x 0.31" |
| | 2.9" x 0.43" |

Connector Pin



Geometrical Specification

| Connector Pin Diameter | Connector Pin Length | Connector Pin End Diameter | Connector Pin End Length |
|------------------------|----------------------|----------------------------|--------------------------|
| CPD (in) | CPL (in) | CPED (in) | CPEL (in) |
| 0.062 | 1.25 | 0.13 | 0.31 |
| 0.093 | 1.54 | 0.16 | 0.31 |